

PATENT APPLICATION

042390.P3581R

AMENDMENT

Amendment to Claims

Please add the following claims as shown below.

12. (Newly added) An apparatus comprising:
a wireless communication module;
a computing module;
a display, wherein the display is adapted to display information related to the wireless communication module and the computing module; and
a display controller adapted to disable a first portion of the display and enable a second portion of the display.
13. (Newly added) The apparatus of claim 12, wherein the first portion of the display is adapted to display information related to the wireless communication module.
14. (Newly added) The apparatus of claim 13, wherein the second portion of the display is adapted to display information related to the computing module.
15. (Newly added) The apparatus of claim 13, wherein the first portion is adapted to display information related only to the wireless communication module.
16. (Newly added) The apparatus of claim 12, wherein the computing module is adapted to operate as a personal digital assistant.
17. (Newly added) The apparatus of claim 12, further comprising at least two segment drivers coupled to the display and the controller.
18. (Newly added) The apparatus of claim 12, wherein the display controller is adapted to disable the first portion of the display while the second portion of the display is enabled.

PATENT APPLICATION

042390.P3581R

19. (Newly added) An apparatus comprising:
a display controller adapted to disable a first portion of a display while enabling a second portion of a display, the first portion of the display adapted to display information from a wireless communication device and the second portion of the display adapted to display information from a personal digital assistant.
20. (Newly added) The apparatus of claim 19, wherein the display controller is further adapted to enable the first portion of the display while disabling the second portion of the display.
21. (Newly added) The apparatus of claim 19, further comprising at least two segment drivers coupled to the display and the display controller.
22. (Newly added) The apparatus of claim 19, wherein the first portion of the display is physically contiguous with the second portion of the display.
23. (Newly added) The apparatus of claim 19, wherein the first portion of the display is physically separated from the second portion of the display.
24. (Newly added) A method comprising:
displaying information related to a wireless communication device on a first portion of a display;
disabling the first portion of the display; and
displaying information related to a personal digital assistant on a second portion of the display.
25. (Newly added) The method of claim 24, wherein disabling the first portion of the display occurs substantially simultaneously with displaying information on the second portion of the display.
26. (Newly added) The method of claim 24, further comprising displaying information related to the wireless communication device after disabling the second portion of the display.

PATENT APPLICATION

042390.P3581R

27. (Newly added) The method of claim 24, further comprising displaying information related to the wireless communication device substantially simultaneously with displaying information related to the personal digital assistant on the second portion of the display.

28. (Newly added) An article comprising:
a storage medium having stored thereon instructions, that, when executed by a computing platform, results in:
displaying information on a first portion of a display, wherein the information is related to a wireless communication module;
displaying information on a second portion of a display, wherein the information is related to an application program running on the computing platform;
and
disabling the first portion of the display while displaying information on the second portion of the display.

29. (Newly added) The article of claim 28, wherein the instructions, when executed, further result in disabling the second portion of the display with a display controller.

30. (Newly added) The article of claim 28, wherein the instructions, when executed, further result in disabling a first segment driver and disabling a second segment driver.

31. (Newly added) The article of claim 28, wherein the instructions, when executed, further result in disabling the second portion of the display while displaying information on the first portion of the display.

32. (Newly added) The article of claim 28, wherein the instructions, when executed, further result in substantially simultaneously displaying information on the first portion of the display and the second portion of the display.